

Name _____

Seat No. _____

List the three reasons stated in lab manual for the use of the rubber dam during endodontic treatment?

81. protects patient from aspirating files, reamers, etc
82. provides clean aseptic field
83. retracts tissue (cheeks, lips, gingiva)

Pretreatment with a provisional restoration may be necessary to provide sufficient structure to successfully place the rubber dam clamp. List the four methods stated in the manual to accomplish this pretreatment.

84. ortho band
85. amalgam build up
86. temporary restoration
87. temporary crown

Questions 88 through 91 are True and False

88. The lingual canal orifice of a Maxillary two root premolar is located lingual to the central fossa.

☒ T or F

89. The crown of a ~~maxillary~~ premolar tilts 30° lingual to the long axis.

T or ☒ F

90. The canal orifice of the single root mandibular premolar is located just lingual to the central fossa.

T or ☒ F

91. The rubber dam clamp of choice for incisors is 14 ~~or~~ 14A

T or ☒ F

When accessing a maxillary two-rooted premolar list two consequences that may occur if under clinical conditions some pulp tissue is left in the tooth.

92. discoloration

93. pain

The exact measurement of the root canal(s) of a posterior tooth is the distance from

94 cusp tip to 95 apical foramen

List four reasons stated in lab manual why radiographic analysis of clinical endodontic procedures is performed throughout the treatment.

96. to obtain exact measurement

97. to check cleaning and filing of canal

98. to check the fitting of master gutta
percha

99. to check obturation

As stated in lab manual, give the clamp no. best suited for anterior and premolar teeth with crown preparation.

100. 1A or 9